

**CLAIM LISTING**

1. (Previously Presented) A client configurable web based imaging page redirector system, comprising:

at least one processor at a client programmed with client software for receiving content from an imaging source at an external web site, wherein the content includes a designator to take a processing action with respect to at least a portion of the content;

redirector software loaded in the client that is operable to uses a programmatic interface to obtain information;

the redirector software ~~being executed~~being operable to access the programmatic interface to obtain the information;

the redirector software being operable to choose at least one destination reference ~~changing at least one designator to be displayed~~ based on the information; and

~~software for initiating a display of the changed at least one designator~~the redirector software being operable to automatically redirect the client to the at least one destination reference.

2. (Cancelled).

3. (Cancelled).

4. (Original) The system as defined in claim 1, wherein the client software is a printer driver.

5. (Currently amended) The system as defined in claim 1, wherein the programmatic interface comprises a configuration page, displaying to ~~a~~the user a set of web page or web based imaging service options; the programmatic interface being operable to:

~~receiving~~receive a selection of one of the options from the user; and

~~storing~~ store a destination reference to the selected option.

6. (Currently Amended) The system as defined in claim 1, wherein the programmatic interface includes code which looks for a cookie or other storage on a user's system that identifies the at least one ~~designator~~ destination reference.

7. (Currently Amended) The system as defined in claim 1, wherein the redirector software includes code that calls an API method for obtaining the at least one ~~designator~~ destination reference.

8. (Currently Amended) The system as defined in claim 1, wherein the redirector software includes code to select the at least one ~~a~~ destination reference based on a plurality of rules.

9. (Currently Amended) The system as defined in claim 8, wherein the plurality of rules include at least a first rule that provides at least one first ~~designator~~ destination reference if a user's system is inside of a firewall, and a second rule that provides at least one second ~~designator~~ destination reference if the user's system is outside of the firewall.

10. (Currently Amended) The system as defined in claim 5, further comprising ~~wherein the configuration page includes a hierarchy of designators~~ destination references and wherein the redirector software ~~further~~ comprises code for automatically selecting the at least one ~~designator~~ destination reference according to the hierarchy based on a rule of availability.

11. (Original) The system as defined in claim 1, wherein the redirector software selects a local service to access based on a location of a user's system, and accesses that service to determine the availability of a local image processor service.

12. (Currently Amended) The system as defined in claim 11, wherein the redirector software selects the at least one ~~designator~~destination reference based on a first rule that if a local printer service is available, then selecting the at least one ~~designator~~destination reference for that local printer service, and a second rule that if no local printer service is available, then selecting a default at least one ~~designator~~destination reference.

13. (Currently Amended) The system as defined in claim 1, wherein the information obtained by the programmatic interface causes ~~the user's~~a browser to browse to a web site to obtain the at least one ~~designator~~destination reference.

14. (Original) The system as defined in claim 1, wherein the client software uploads the content to a personal imaging repository.

15. (Currently Amended) A client configurable web based imaging page redirector method, comprising:

a client programmed with a browser obtaining via the browser web content to be processed from an external imaging source, wherein the web content includes a designator to take a processing action with respect to at least a portion of the web content obtained from the imaging source; and

when the designator is designated, directing the browser to redirector software that uses a programmatic interface to obtain information;

executing the redirector software to access the programmatic interface to obtain the information;

the redirector software choosing at least one destination reference~~changing at least one designator to be displayed~~ based on the information; and

automatically redirecting the browser to the at least one destination reference~~displaying the changed at least one designator~~.

16. (Currently Amended) The method as defined in claim 15, wherein the programmatic interface: ~~comprises the step of~~  
displaying to the user a set of destination page or web based imaging service options;  
receiving a selection of one of the options from the user; and  
storing a destination reference to the selected option.

17. (Currently Amended) The method as defined in claim 15, wherein ~~the further comprising the~~ programmatic interface ~~obtains~~ obtaining information for a cookie or other storage on a user's system that identifies the at least one ~~designator~~ destination reference.

18. (Currently Amended) The method as defined in claim 15, wherein the redirector software calls an API method for ~~identifying~~ identifying the at least one ~~designator~~ destination reference.

19. (Currently Amended) The method as defined in claim 15, wherein the ~~determining~~ choosing step comprises selecting the at least one designator based on a plurality of rules.

20. (Currently amended) The method as defined in claim 15, wherein the ~~determining step~~ information includes a hierarchy of the ~~designators~~ destination references and wherein the ~~choosing step~~ includes and automatically ~~selects~~ selecting the at least one ~~designator~~ destination reference according to the hierarchy based on availability of a destination web site or web based imaging service web site.

21. (Currently Amended) A program product for a client configurable web based imaging page redirector method, comprising:  
a machine-readable medium that comprises machine readable program code ~~capable~~ capable of causing, when executed, a machine to perform the following steps

a browser in a client obtaining web content to be processed, the web content including a designator to take a processing action with respect to at least a portion of the web content, the browser accessing ~~the~~a redirector reference and browsing to the redirector software; and

executing the redirector software to access ~~the~~a programmatic interface to obtain ~~the~~ information; and

the redirector software choosing at least one destination reference ~~changing at least one designator to be displayed based on the information;~~ and

automatically redirecting the browser to the at least one destination referenced ~~displaying the changed at least one designator.~~